EXTENSION SERVICE U. S. Dept. Agr.

CAMERAS THAT USE REGULAR SPOOLS OF 35-MM. FILM AND 35-MM. KODACHROME


MINEOGRAPHED MATERIAL

\$\alpha\$ OCT 15 1940 \$\alpha\$

O. E. S. LIBRARY (This list may not be complete, nor are cameras listed necessarily approved by the Department.) September 1940

	Manufacturer	Distributor		International Research	Corporation,	Ann Arbor, Michigan.				S S	Echester, N. Y.	
	xs11 -ta	siet ujba tuem										-
A STATE OF THE PARTY OF THE PAR	Shutter and stops Stops Stops					Tes	Yes					Yes
-			1 1 -B-T	$\frac{1}{200} - \frac{1}{25}$ -3-T	$\frac{1}{200} - \frac{1}{25}$ B-T	1 - 1 - B	$\frac{1}{300} - \frac{1}{5} - B$	$\frac{1}{200} - \frac{1}{25} - B - T$	Kodex	Diomatic 150 10 -B-r	Kodanatic 1 1 1 -B-T 200 - 10 -B-T	$\frac{1}{200} - \frac{1}{10} - B - T$
	Lens	Name				Cintar 50 mm.	Cintar		Kodak Anastigmat	Kodak Anastigmat	K. Anastigmat Special	K. Anastigmat
		Speed	£4.5	£4.5	£4.5	£3.5	£3.5	£4.5	£5.6	£4.5	£3.5	f3.5
	Price Name		Argus A	Argus A2	Argus A2F	Argus 02	Argus 03	Argus Model K		Kodak 35*		
			\$10.00	\$12,50	\$15.00	\$25.00	30.00	19.50	14.50	24.50	33.50	h7.50


*Kodak Bantans use Kodachrome in 828, which is just a little larger than the regular 35 mm.



ı	7	١		ì
١	u	N	5	ļ


Manufactur or Distribu		Eastman Kodak Company	Rochester, New York.	id Camera Corporati	oi America, 844 Adams St., Chicago, Ill.			Burleigh Brooks, Inc.,	127 West Hod St.	333	New York, N.Y.			Burke & James, 223 West Madison St.,		Chicago, Ill.				
Led Jax L-t	egage eganit Lguod Leasa Leasa suiba taem		Ŋ		Ø						W	-	Yes				ū	2 0	a	
i.e	Stops Rain		1 -1 - B-T Yes	Focal plane	1250 Yes	Vario 1 21 B	H	Commin Romid	Table region	500 - 1 - B-T	Yes	Compur Rapid	500 I - b-T Yes	Compur and	H r	1500 - 1 - B-T	Compuration I - B	1r - 1 - B	our Rapid	
Lens	Name	Ektar	Schneider	Scienar	Wollensak		Cetar	Schneider Radionar	Schneider Xenar	Zeiss Tessar	Schneider Xenon	Schneider Xenar	Zeiss Tessar	Anastignat Zoisa massar	Schneider Xenon		Cassar	Zeiss Tessar	Schneider Xenon	
	Speed	£3.5	f2.	£3.5	£2,8	£4.5	£2.9	£2.9	f2.8	f2.8	£2.	f2.8	f2.8	f2.9		16.	f2.9	f2.8	f2.	
Name		Retina I**	Retina II**	1	Feriex and 55		DOLLINA U		Dolling II			777			(5 nodels)			**************************************	TITOTOM	
Price		\$ 48.50	120.00	\$ 29.50	59.50	21.00	32.50	55.00	65.00	75.00	80.00	80.00	92.50	\$ 46.50	to g)	00.40	86.50	115.00	115.00	7

**Models discontinued 1238-40



Manu	Manufacturer or Distributor Willoughby's Inc., 110 West 32d Street, New York, N.Y.				730 5th Ave., New York, N. Y.			Photo Marketing Corporation, 10 West 33d St., New York, N.Y.								
xsils -tsu; tn			F (0.8)													
ge ger pled	neA niT noO		Yes		X B S	Yes	Yes		da ada na masan	-		_				
Shutter	Stops	1 - B-T 300	Compur Rapid Compur Rapid 1 - 1 - B - T 500	Focal plane 500 - T	Focal plane $\frac{1}{500} - \frac{1}{20} - \mathbb{T}$		Focal plane 1 - 1 - T 1000		Focal plane	1000 delayed	action	1				
Lens	Name	Trioplan	Trioplan Zeiss Tessar Schneider Xenon	r i.e.	r-mar	Summitar	Summitar	Exaktar	Primotar	Zeiss Tessar Zeiss Tessar	Meyer Primoplan	Schneider	Zeiss Biotar	2003		
	Speed	f2.9	# # # # # # # # # # # # # # # # # # #	£3.5	£3.5	f2.	f2.	£3.5	£3.5	£3.5 £2.8	£1.9	£2.	f2.	\$ C C C C C C C C C C C C C C C C C C C		
Name			Super-Baldina	Leica Standard	Leica Model II	Leica Model III	Leica Model IIIb			n in a second se		CH CH				
Price		\$ 35.00	69.50 to 87.50	\$100.50	154.00	253.00	273.00	\$130.00	145.00	155.00	210.00	210.00	290.00			

+ Full-size ground-glass view finder.



Manufacturer	Distributor			Carl Zeiss, Inc.,	485 5th Ave.,	New York, N. Y.	
xsljs	Ersq sufbA nem					Yes	Yes
ed ed	greg Groo		Yes	¥ es	Yes		
Shutter	snd	Focal Plane	1250 Delayed action	Same as above	Same as above	Focal plane	1000 2 and delayed action
Lens	Name		Zeiss Tessar	Zeiss T ssar	Sonnar	Zeiss Tessar	Sonnar
	Speed		f2.8	£2.8	f1.5	f2.8	fl.5
	PHOTO		\$204.00 Contax II	249,00 Contax III	Contax III		Contaflex
200	1		\$204.00	249.00	372	250.00	372.00

Attachments may be obtained for Eastman Recomar, Voigtlander, Korelle Reflex, Super Ikonta B, and probably other cameras to use regular 35-mm, or 828 Kodachrome.

